APPI®
technology

CATALOGUE JULY 2020

SAFETY*COMMS* FIRST!™

APPI-Technology - All rights reserved © 2020

SUMMARY

APPI-Com	P1
For all applications	P4
News	P5 to P7
5 steps to design your kit	P8
Radios	P9
Options accessories	P10 to P12
Audio devices	P13 to P21
Transport kit	P22
Customer service	P23

Our specialized application brochures

INDUSTRIAL CLEANING

SANITATION & CONFINED SPACE

FIRST RESPONDERS

CLEAN ROOMS PHARMACEUTICALS

FIREFIGHTERS

DEFENSE

INDUSTRY

SWAT / POLICE



SPORT OFFICIATING

DEMINAGE

CBRNE

AERIAL FIREFIGHTING

APPI-Com

APPI-Com is the world's most advanced wireless tactical field communication device: It provides a full-duplex and long-range solution for all teams in hostile, noisy or confined environments.

It improves users safety thanks to its new features: LWP (Lone Worker Protection) with voice alert, no fixed nor mobile base (SyncAll patent), identification and voice alert of connected users (SafeLine patent), Pager button, etc...

Ultra-compact, lightweight and rugged, APPI-Com is easy to use and operate: simply press the power button and you're ready to communicate, hands-free, on a secure, powerful and coded network. APPI-Com allows a natural conversation in the team despite physical obstacles (walls, floors, etc.), and personal protective equipment.

APPI-Com fits multiple Audio Headsets and eliminates ambient noise to focus on the mission.

WHY CHOOSE APPI-COM?

- HANDS-FREE FULL-DUPLEX RADIO
- 1.3 MI RANGE (2KM) + NETWORK EXTENSION
- ADVANCED SAFETY FUNCTIONS :
  MAN DOWN VOCAL ALERT / SAFELINE
- AUTONOMOUS DIGITAL CODED NETWORK
- NO BASE, UNLIMITED USERS
- SHOCKPROOF, WATERTIGHT
- NOISE CANCELLING TECHNOLOGY

No more Push-To-Talk !

CONFERENCE MODE (FULL-DUPLEX)

The patented technology without base or master (SyncAll patent), in conference mode, allows communicate in a natural way: no need to press a button and wait your turn to speak. The encrypted network is deployed within seconds: APPI-Com automatically identifies the other teamates and starts the conference.

HANDS-FREE

The APPI-Com radio allows professionals to have their hands free to focus on their mission.

SIMPLE AND SECURE

Simplicity: 1 button and 1 connector to deploy the network within seconds and communicate freely with the team.
Safety: includes voluntary “Pager” alert, immobility detection with voice alert, and “SafeLine” function to know in real time who is connected.

NETWORK EXTENSION

Connect APPI-Com (via Bluetooth or wire) to any communication device to extend the range or share the conversation.

CONFIDENTIALITY

APPI-Com deploys a wireless coded digital network within seconds, without any installation.

A UNIQUE COMMUNICATION SOLUTION

Technologies comparison

SYSTEM	OFF-NETWORK	CONFIDENTIAL	FULL-DUPLEX	HANDS-FREE	LONG RANGE	NO FIXED NOR MOBILE BASE	GOOD PENETRATION	1 SYSTEM FOR 2
GSM phone	X	X	✓	✓	✓	X	✓	X
Walkies-Talkies (PMR)	✓	✓	X	X	✓	✓	X	X
Bluetooth / WiFi / DECT (<500ft)	✓	✓	✓	✓	X	X	X	X
APPI -Com	✓	✓	✓	✓	✓	✓	✓	✓

How can APPI-Com solve your communication problems?

COMMUNICATION PROBLEMS IN THE FIELD

Noisy environment


Distance

Personnal Protective Equipment

Occupied hands

Confined / Off-network spaces

Lone worker protection

- Conference mode (Full Duplex)
- No Push-To-Talk
- 2Km range (1.3mi)
- No Base nor Master
- Adapted Audio Headset
- Compact / Robust / IP67
- Noise Protection
- Lone Worker Protection
- Safeline
- Sending alerts from off-network zones to GSM

ADVANTAGES

Prevention

Safety

Protection

Productivity

Efficiency

€

Free bands

FOR ALL APPLICATIONS

APPI-Com for all teams:

2 people and more ...

Compatible with all PPE

(SCBA, Helmets...)

Bluetooth connection to smartphones or any headsets bluetooth



MULTI : switch from one team to another (up to 10 teams)



RELAY/EXTENDER: wired connection for obstacles from 15m to 100m



WIRED INTERCOM :
(APPI-Com Line) Noise cancelling Technology enabling commnucation between two users.
Usable with all PPEs



Safety pack: Beeper, man down alert (LWP), Safeline®



MOBILE APPLICATION FOR SECURITY

PATENT PENDING

The APPI-Smart App is the natural extension of your APPI-Com radio. Its usage enhances the safety features of the Safety Pack and provides an easy acces to the radio parameters when used under a protection suit (ex: chemical suit...).

WORKER SAFETY
ISOLATED AND GROUP IN WHITE ZONE

Your LWP Alert is automatically transfered (Bluetooth connection) to a preset phone number and generates :

- A call
- A text or Email (date, time, GPS position, group name)

APPI-Smart protects the entire APPI-Com team and establishes a link from the worker and the support team.

APPI-COM RADIO REMOTE CONTROL

Do you wear your radio under your work clothes, your PPE?
Thanks to a simple and intuitive APPI-Smart interface, you can now control your radio remotely (Bluetooth connection).

Manage your phone calls: Choose whether or not to conference in your correspondant in to your APPI-Com group.

- OPTION APPI-SMART : On request

EXTENSIVE CONNECTIVITY

- Connect your Smartphone to extend the range.
- Conference-in your remote correspondent.
- Connect a second Audio Headset (bluetooth) to share your APPI-Com.
- Make a private or public phone call with your audio headset.

CALL THE OFF-NETWORK TEAM !

SHARE YOUR APPI-COM : ONE RADIO FOR TWO

- SER-MAJTECAL : RF Radio transceiver STD Service - Test/Cal
- SER-MAJTECALA :RF Radio transceiver ATEX Service - Test/Cal

APPI-Com Line

NOISE CANCELLING WIRED INTERCOM FOR 2 USERS

- Usable with any PPE
- Usable in critical environnement (no radio emission)
- 12 hours battery life
- IP 66 rating
- Available for several lenghts : 50m (150ft) / 100m (300ft) / 150m (450ft)



- OPTION APPI-Com Line : on request

APPI-Connect

ENHANCED SAFETY

- Pair the Altair4XR gas detector with your APPI-Com radio to generate and transmit audio alerts.
- Bluetooth connection.
- Decodes and generates audio alerts for the user and its team.
  (Ex : «H2S Alert, level High») .

- BS-APC2-CONNECT : option APPI-Connect

5 STEPS TO DESIGN YOUR COMMUNICATION KIT

1

RADIOS
P 9

2

ACCESSORIES
P 10

3

AUDIO DEVICES
P 13

4

TRANSPORT KIT
P 22

5



CUSTOMER SERVICE
P 23

1 - Choice of model

FEATURES

	APPI-COM	APPI-COM LR
	when a 200m range is enough	Power and flexibility Atex : Potentially explosive environment
Transmitting power	<500mW (specific calibration on request)	<500mW (specific calibration on request)
Models	APPI-Com Internal antenna	APPI-Com LR External antenna
References	BS-APC-MOD02M (Europe)	BS-APC2-MOD03C (Europe)(Atex) BS-APC2U-MOD03M (US - int. antenna) BS-APC2U-MOD03C (US - ext. antenna) BS-APC2CNA-MOD03C (China) BS-APC2S-MOD03C (Singapore) Atex on request
Radio		
Range	Up to 200 m	Up to 2000m
Sound quality	Standard	HD
RF Band	863-870 MHz CE	863-870 MHz CE / 902-928 Mhz FHSS
Channels	4	19 à 32 (country specific)
Certification	CE	ATEX CE, FCC, Others
Features		
Atex Version	No	Yes
Mode Eco	No	Yes (200mW)
Beeper	Yes	
CALL Mode	Option	
Nuclear calibration	No	Option (BS-APC2-OPTCALNU)
Safety Pack (LWP + Safeline)	LWP	LWP+ Safeline : Option BS-SER-PCKSEC
Bluetooth audio	No	Option BS-APC2-OPTBT
Defense configuration (P9)	No	Défense keyboard - IP67 - screen shutdown : Option BS-APC2-OPTDEF
Power and battery		
Autonomie en communication	Up to 8 h	Up to 9 h
Autonomie en écoute	Up to 10h	Up to 10h
Rechargement	USB /about 1h30	USB /about 1h30
Batterie	Li-PO / rechargeable	Li-PO / rechargeable
Fonction Com&Charge	No	Yes : Communication charging / Range extension
General characteristic		
Size	91x48x15mm (3.6"x1.9"x0.6")	
Weight	80 g (3 oz)	
Shocks Tests	IK8	
Shockproof	IP66	IP66 IP67 (option or Atex)

* Rubber's color is customizable (P7)

2- Accessories

RUBBER PROTECTIVE COVER

This rubber casing is particularly effective against shocks, scratches and dirt.
The padded corners offer great mechanical robustness, while a transparent film protects the front side. For a really practical use, the shell is equipped with a belt clip.
They are available in various colours and can be cleaned with a damp cloth.

- BS-APC-RUBG01 : Grey
- BS-APC-RUBR01 : Red
- BS-APC-RUBN01 : Black
- BS-APC-RUBK01 : Khaki
- BS-APC-RUBB01 : Blue
- BS-APC-RUBO01 : Orange
- BS-APC-RUBY01 : Yellow

NECK STRAPS

- BS-APC-LAN01 : Neck straps cloth
- BS-APC-LAN02 : Neck straps PVC
- BS-APC-LAN03 : Neck straps PVC brown

CHARGING KIT

The wall plug 4-port USB for charging four APPI-Com simultaneously.
The car plug two-port USB APPI cigarette lighter socket charges up to two APPI-Com radios simultaneously in a vehicle.

- BS-APC-CKARK : charging kit for 4 radios (4 port charger + car charger)
- BS-APCUS-CHARK : US version

USB APPI CABLE: RECHARGING AND PROGRAMMING

The USB cable allows both charging the APPI-Com and connecting it to a computer for software configuration.

- BS-APC-USB02

ANTENNAS

APPI-Com in standard version is supplied with an internal antenna (range: approx. 300m). In ATEX version, can be equipped with an external antenna (ANT04). APPI-Com LR is usually supplied with an external antenna (ANT01): offers the best radio range (over 2000m in free field). For a more compact version, it is possible to order APPI-Com LR with ANT03. The radio range between two modules equipped in this way remains around 800m in free field. SMA type RF connector for external antenna, removable in Europe version.

REFERENCES	LENGTH	ZONE	RANGE *
BS-APC-ANT01	15 cm	EUROPE	2 Km
BS-APC-ANT01US	17.5 cm	US	2 Km
BS-APC-ANT02	8.4 cm	EUROPE	1.2 Km
BS-APC-ANT03	2.8 cm	EUROPE / US	800 m
BS-APC-ANT04	8.6 cm	EUROPE / US	1.5 Km
BS-APC-ANT05 *	19.5 cm	EUROPE / US	2.2 Km

To be mentionned upon order

In FCC/IC & ATEX Version: cannot be swapped in the field

* Approximate range between two models with the same antenna
Data measured with APPI-Com LR

* Rotating

OPTIONNAL ACCESSORIES

JEDI ANTENNA

For fixed stations: Cover your entire site with JEDI antennas.
Indoor or outdoor use.

- BS-APC-ANT06 : Exter.wall antenna - SMA - 5 dB - 3m RF cable
- BS-APC-ANT07 : Exter.wall antenna - SMA - 8 dB - 3m RF cable

CHEST HARNESS

The harness, splitter cable and battery pack allows you take your APPI-Com and recharge pack wherever you are.
The splitter allows you to use the radio while charging it.
(not possible for ATEX version).

- Pack BS-APC-HAPWR01:
  BS-APC-HAR01 : APPI-Com Harness
  BS-APC-USBBAT06 : Battery 6000mA.h
  BS-APC-CASPLIT01 : Cable

ARMBAND

Wear your APPI-Com around your arm, without disturbing your movements during professional missions.
Small, lightweight, its neoprene material ensures real comfort.
It will protect your radio against bad weather, perspiration, scratches, dirt, etc...

- BS-APC-BRAS01

DELUXE LEATHER CASE

The deluxe leather case is equipped with a rotating clip that allows you carry your APPI-Com.

- BS-APC-LPOUCH01

CLIP FOR APPI COM

The clip is attached directly to the back of the APPI-Com. It can be worn directly on your belt or in a pocket.

- BS-APC-CLIP01

OPTIONNAL ACCESSORIES

SPECIALS KEYBOARD (OPTION)

The keyboard can be customized to the image of the company : army keyboard or by including the logo.

- BS-APC2-OPTDEF : Army configuration (Keyboard Army - IP67 - Screen switch off)
- Company logo inclusion : contact us

PUSH TO TALK / DOUBLE POSITION

To alternate from full-duplex (conference mode) to «push to talk» conversation. It can be integrated directly on any audio equipment.

- BS-APC-PTT90

DUAL PUSH-TO-TALK (PTT) NEW

This push-to-talk box allows communication on the APPI-Com network (full-duplex) and to intervene on the Talkie-Walkie network.

- on request

WIRED EXTENSION AND RELAY BOX

Headset extender: wired connection between helmet and radio to pass through walls/ obstacles.Relay box: wired connection between two radios of two different groups to create a wired intercom.

- BS-APC-CAHSEXT15: Headset extender 15m
- BS-APC-RELAY01 : Relay box

CHARGING AND STORAGE STATION

Charging and storage station for 4 APPI-Com radios.

- BS-APC-BASTA : Europe version
- BS-APCUS-BASTA : US version

SMARTPHONE LISTENING CABLE

Cable to connect an APPI-Com radio to a smartphone and to record the communication.

- BS-APC-CAECS

3- Choice of audio devices

LEGEND

ARI (respirator)	Bluetooth	Atex

Defence	Public Safety	Industry	REST * Industry

NOISE CANCELLING - P14 to 16

Headphones and earmurffs						
Noise cancelling headphones with active listening						
Bluetooth noise-cancelling headset with active listening						
Bluetooth noise-cancelling headset						

LIGHT - P17 to 18

Light audio headsers						
Lightneight headphone						
Earpieces						

IN-EAR & TECHNICALS - P19 to 20

Bone conduction microphone / cartilage microphone							
Earpieces							
Audio headset for firefihters'							

REMOTE SPEAKERS - P21

Remote speaker microphone and accessories						
APPI audio deck						
Bluetooth nomad speaker						

All wired peripherals are delivered with an exclusive APPI high reliability connector: metal, circular, with coded pin and push-pull lock.
For more references contact us.

** Recreation, Entertainment, Sports, and Tourism*

NOISE CANCELLING

EARMUFFS

CABA

Noise reduction headset with noise cancelling boomer microphone: SNR 29dB, ideal for severe industrial environments and Atex areas.
Available with a loop or clips (hooks) to attach to a safety helmet.

- BS-APC-CABA1 : Headband without PTT
- BS-APC-CABA1PTT : Headband with PTT
- BS-APC-CABA3 : ATEX Noise cancelling audio headset A-K for helmet
- BS-APC-CABMIC : CABA1 and CABA3 micro

CAB

Noise cancelling audio headset that are installed directly on the helmet by a fixing system.
24dB sound insulation.

- BS-APC-YELLOWCAB : Yellow headset
- BS-APC-BLACKCAB : Black headset

HP 90

Passive noise-cancelling headset with noise cancelling microphone: 23dB isolation; ideal for conversation in very noisy environments.
Mounted with an insulating hull, allows wear a hard hat, with neck metal to ensure good positioning.

- BS-APC-CAB02 : Headset

NOISE-CANCELLING HEADSET WITH TALK THROUGHT

SUPREME

Noise cancelling headset with noise cancelling microphone and situation awareness.
Offer a 24dB passive isolation with situation awareness and a 82dB limitation («Cut-off» function) ideal for very demanding environments. Includes 2 speakers per shell to maintain the radio communication when batteries are flat ("fail safe"). Available as a neck loop or head mounted.

- BS-APC-SUPMA : Headset
- BS-APC-SUPMAPTT90 : Headset with PTT
- BS-APC-SUPMSAN90 : Headset with PTT headband
- BS-APC-SUPMN : Sup MIL Headband
- BS-APC-SUPMNPTT90 : Sup MIL Headset with PTT
- BS-APC-CAMSA01 : APPI-connection cable
- BS-APC-CAMSA02 : APPI-connection cable

MARK II

«Low-profile» noise-cancelling headset with environmental awarness. This system delivers sound from the radio and the external microphones located on each side, to reproduce the surroundings while limiting the acoustic pressure to 82dB.
Works with two AAA batteries and in «fail-safe» mode: maintains listening to radio communication with dead batteries.
The micro-boomer (noise cancellation) can be installed on the right or left side.
Supplied with APPI connector (or optional Nexus TP120 /U-174 NATO).
Headband or bracket/rail versions.
Waterproof: IP67 rating.

- BS-APC-MARK01 : Headset APPI-MARK II

RAPTOR

Noise cancelling headset with environmental awareness. This system makes it possible to remain attentive to the surrounding people and possible dangers (roads, etc.) while being protected from a noisy environment.

- BS-APC-RAPTORW01 : Hard Hat version
- BS-APC-RAPTORW02 : Headset
- BLUETOOTH VERSION : Consult us

BLUETOOTH NOISE-CANCELLING HEADSET WITH TALK THROUGHT

LEFT/RIGHT

Noise cancelling headset 28dB with environmental awareness: isolation for work and answering phone calls.
Available in «shell» version for mounting on hard hat or «hoop» above the head.

- BS-APC-CABBTMSA01: Bluetooth headset
- BS-APC-CABBTMSA02: Bluetooth Covers
- BS-APC-CABBTMSA03: Bluetooth Dual
- BS-APC-CABBTMSA04: Bluetooth Dual Covers
- BS-APC-CABBTMSAHK : Hygiene kit

BLUETOOTH NOISE-CANCELLING HEADSET

A-KABEL

Bluetooth industrial noise-cancelling headset (SNR isolation = 28dB) with boom microphone. Supplied with charger for AA size rechargeable batteries, or battery operation (2xAA).
Available in headband or helmet monted version.

- BS-APC-CABBTAK01 : Noise cancelling audio Head band Bluetooth AK
- BS-APC-CABBTAK02 : Noise cancelling audio Helmet Mounted Bluetooth AK



LIGHT AUDIO HEADSETS - 2 EARPHONES

HURRICANE II

Low profile headset to be worn alone or under a helmet. It provides impeccable sound quality in noisy environments thanks to its noise cancelling ear plugs (up to 29dB). Recommended in public safety, manufacturing plants, aeronautics...

- BS-APC-HURRIC02 : Headset audio
- BS-APC-BOHURC-10 : Pair of ear-plugs (pack of 10)

STORM

Light audio headset with 24dB sound protection by disposable ear plugs and noise cancelling micro.

- BS-APC-STORM1 : Headset audio
- BS-APC-BOHURC : Pair of ear-plugs

SKIPPY

Neckband headset including two earphones and a boom microphone. Adjustable and robust, it allows clear and precise communication, essential for safety, instruction or conversation.
This headset meets the requirements of the constrained environment (Firefighters, Industries): it is compatible with the wearing of most existing protective helmets.

- BS-APC-SKIPPY : Adjustable dual-loudspeaker headphones

LIGHTWEIGHT HEADSETS

400XT

Convertible Bluetooth audio headset: above the head and behind the neck (left or right).
Micro boom with noise cancellation technology (96%) and imitation leather pad.
The battery life is 24 hours.

- BS-APC-PA400XT

STUDIO 2 - 1 PAD

Lightweight and comfortable headset for indoor use, with flexible boomer microphone and adjustable headband. Recommended for use in studios, offices, stages and work environments. Left or right use by rotating the flexible microphone and interchangeable foams for earphone and microphone.

- BS-APC-STUDIO2 : Audio headset

EARPIECES

COMCOM

Audio headset boom, the ComCom headset, ultra lightweight (6g) and very comfortable for clear voice transmission in any situation. The supplied ear tips allow you to wear the headset on the right or left.

- BS-APC-COMCOM
- BS-APC-B03L : Pair of triple flange silicone ear tips

MCOM4

In-ear headset with boomer microphone; can be ordered with or without push-to-talk depending on use. PTT version includes a «locked» mode allowing full communication duplex.

- BS-APC-MCOM4 : Mini headset
- BS-APC-MCOM4PTT : With PTT
- BS-APC-B03L : Pair of triple flange silicone ear tips

BOOM

This wireless headset is ideal for hands free use: noise-cancelling boomer microphone with ear plugs (up to 30dB isolation).
The flexible boom allows for close positioning of the microphone for optimal speech clarity in noisy environments.

- BS-APC-BTBOOM1
- BS-APC-B03L : Pair of triple flange silicone ear tips

BONE CONDUCTION / CARTILAGE MICROPHONE

M3H

Integrated audio device: loudspeaker and bone conduction in-ear microphone, providing excellent isolation (30 to 40dB) from external noise: vocal vibration is collected directly in the ear canal. Provides a «low voice» conversation even in very noisy environments.
Hearing protection: by disposable plugs (29 to 32 dB), this audio device is compatible with all PPEs (headsets, SCBAs...).

Available in ATEX version.

2 speakerphone :

- BS-APC-M3hDL01 : Left ear + 2nd speaker to the right
- BS-APC-M3hDL02 : Left ear / 2 HP - 90° plug connector
- BS-APC-M3hDR01 : Right ear + 2nd speaker to the left
- BS-APC-M3hDR02 : Right ear / 2 HP - 90° plug connector

Pair of ear-plugs : (pack of 10)

- BS-APC-BOINTSBLK-10 : Size S
- BS-APC-BOINTMRED-10 : Size M
- BS-APC-BOINTLBLU-10 : Size L

2 speakerphone :

- BS-APC-M3hDXL01 : ATEX, left speaker & intra-ear BC mic + right speaker
- BS-APC-M3hDXR01 : ATEX, right speaker & intra-ear BC mic+ left speaker

OSTEO-BOOMER

Headset with noise cancelling microphone and bone conduction loudspeakers.
Ideal for professionals in very demanding environments.

- BS-APC-OSTB01 : Bone Headband Boomer
- BS-APC-OBPTT01 : Headband Boomer Osteophone PTT

TALON THROAT MICROPHONE

With a flexible collar, it is positioned around the neck to pick-up the larynx vibrations: adapted to noisy or windy environments (machine room, factories, airports, quarries, hunting, skiing, etc.).
It allows the wearing of filtering or respiratory masks.

- BS-APC-LARC02 : Without speaker
- BS-APC-LARCA2 : ATEX without speaker
- BS-APC-LARC02PTT : PTT without speaker
- BS-APC-ELARC01 : D-Shape Headset
- BS-APC-ELARC03 : Earphone behind ear
- BS-APC-ELARC04 : In-ear earphone

DISCRETE HEADSETS

DBH

This dual earpiece features innovative technology: a classic speaker on one side and a hypersensitive microphone on the other. A system optimized for small footprint and high discretion.

- BS-APC-DBHS02 : Dual “Microphone-HP” Headset
- BS-APC-DBHS02X1 : ATEX Dual Microphone-HP Headset
- BS-APC-B03L : Pairs of ear-plugs / 3 winglets

ROGER COVERT C

The high-frequency, practically invisible earpiece adjusts itself into the ear canal.

The main box connects via Bluetooth to the APPI-Com for a full duplex conversation. The microphone is positioned vertically, at tie level, for perfect voice restitution even in noisy environments.

The remote control allows you to adjust the sound, and mute it if necessary.

- BS-APC-RCSBT01 : Roger Covert C & Roger Earpiece C
- BS-APC-RCSIRPC01 : Roger Earpiece C beige
- BS-APC-RCSIRPC02 : Roger Earpiece C brown

AUDIO HEADSET FOR FIREFIGHTERS HELMET

Noise cancelling headset with noise cancelling boomer microphone and situation awarness. It offers up to 24dB isolation, with an external hearing limitation of 80dB.

- BS-APC-CABF101 : Headset with hearing protection and boomer microphone
- BS-APC-EAF1XF1: 1 Speaker Audio Headset with Boomer Microphone
- BS-APC-EAF1XF2 : 2 Speakers Audio Headset with Boomer Microphone

Audio cable adapter :

The APPI-Com can be directly connected to the helmet or face mask to offer a plug and play system: hands-free / full duplex.

- Peltor MT632 : BS-APC-CA3M362 (may include APPI PTT : BS-APC-CAPTT3M362)
- Dräger FPS-COM + BS-APC-CAFPS
- Dräger Panorama : BS-APC-CAPANO
- MSA F1XF : BS-APC-CACOMKIT

REMOTE SPEAKERS

REMOTE SPEAKER MICROPHONE AND ACCESSORIES

Shoulder amplified wireless speaker microphone. This audio system includes an amplified loudspeaker and various micro speaker options.
Available in Bluetooth version.

- BS-APC-BTR155 : Bluetooth
- BS-APC-RSM30 : Wired
- BS-APC-RSM100 : Earpiece Kit for Micro-HP Savox
- BS-APC-RSM101 : Earpiecet Kit (Intra) for Micro-HP Savox
- BS-APC-RSM102 : Earpiece Kit (Acoustic Tube) for Micro-HP Savox

APPI AUDIO DECK

The Audio Desk includes an amplified loudspeaker with adjustable volume and a «gooseneck» microphone activated by push button.
It allows you stay in touch with mobile workers: the team can be monitored in real time by a fixed operator in an office or behind a window.

- BS-APC-PUP01

BLUETOOTH NOMAD SPEAKER

This speaker can charge the radio like an external battery pack. Could be very useful in the field and increase the battery hours.
Power 15 Watts
Autonomy up to 12 hours
Hands-free function

- BS-APC-JBLC03

4 - TRANSPORT KIT

SAFETY CASE

XL & XXL

Shock-resistant polypropylene (PP)
Stackable
Water and dust proof
Double-stage locks, easy to open - even with one hand
Automatic air pressure compensation
Suitable for temperatures from -40°C to +80°C

S

M

L

Dimensions:

S: Ext 420 x 325 x 180 mm - Int 384 x 264 x 164 mm
- BS-APC-BW4000: Transport case size S
- BS-APC-BW4000Y : Transport yellow case size S

M: Ext 468 x 365 x 188 mm - Int 432 x 301 x 170 mm
- BS-APC-BW5000: Transport case size M
- BS-APC-BW5000Y : Transport yellow case size M

L: Ext 510 x 419 x 215 mm - Int 473 x 351 x 196.6 mm
- BS-APC-BW6000: Transport case size L
- BS-APC-BW6000Y : Transport yellow case size L

XL: Ext 609 x 428 x 263 mm - Int 534 x 357 x 225 mm
- BS-APC-BW6700: Transport case size XL with wheels

XXL: Ext 660 x 490 x 335 mm - Int 585 x 410 x 295 mm
- BS-APC-BW6800:XXL size transport case with weels

All suitcases are equipped with Velcro partitions and a lid pocket and strap.

BACKPACK SYSTEM

For easy, comfortable and hands-free transport of your equipment.
Suitable for sizes M and L.
Attaches easily to your suitcase
Note: To attach the backpack system to the case, you must first drill the screw fixing holes in the outer case. A drilling template, screws and detailed instructions are included in the delivery. In addition, you will need a drill (size 5) and a screwdriver.

- BS-APC-BWBPS: Backpack holder for carrying case M or L

5 - Customer Service

APPI-SUPPORT SERVICE

Maintenance and upgrade: cleaning, updating and calibration, replacement if defect: film, protective shell, strap, mini-clip, battery.

APPI-PREMIUM SERVICE

Annual service warranty for APPI-Com systems: APPI support service plus repair insurance for a radio and its audio equipment, or provision of equivalent equipment.

	APPI SUPPORT	APPI PREMIUM
Radio: Cleaning / Updating / Calibration	●	●
Radio: replacement if defect: film, protective shell, strap, mini-clip, battery.	●	●
Radio: Break / Refurbishment (or provision of equivalent equipment)		●
Headphones: Break / Reconditioning (or provision of equivalent equipment)		●

- BS-APC-SER-SUP : APPI-SUPPORT customer service
- BS-APC-SER-PREM : APPI-PREMIUM customer service

APPI-Technology SAS
443 avenue Jean Prouvé
30900 Nîmes, France
info@appi-technology.com
+33 9 83 98 68 73

APPI-Technology Inc. - USA
185 Alewife Brook Parkway - Suite 210
Cambridge, MA 02138 - USA
info@appi-technology.com
+1 865-722-57-29



Millions of professionals risk their lives every day: confined spaces, hostile environments, high or noisy work…

At APPI-Technology, we manufacture communication and security equipment for the most demanding environments: our mission is to improve the efficiency and safety of professionals by simplifying their communication.

Our customers from all over the world are mainly involved in industry, civil and military security, or outdoor applications (sports, entertainment): for everyone, APPI-Technology offers a complete and adapted solution, combining Communication and Safety.

APPI® technology

appi-technology.com

APPI-Technology - All rights reserved © 2020

APPI® & **APPI-Com®**
are Registered trademarks