

HANDS-FREE COMMS







APPI radios offer hands-free conference mode over 3.8 km without fixed or mobile base (Int'l patent). With the SyncAll® technology, any APPI radio can leave the team (lost signal, etc.) without affecting communication between the others, and then automatically return to the team's COMM: a guarantee for Safety and Effiency. APPI-Com and APPI-Covr radios are mixable in a group and allow an unlimited number of people in the team.






APPI-Com is a long range, wireless and ultralight communication system. Despite the obstacles, it ensures a clear exchange within teams working in hostile environments.

APPI-MAX






APPI-Max /DEC is a Multi-Com Gateway and Full-Duplex radio for Mounted and Dismounted Ops.

The APPI-MaX features a connection to a 2-Ways Radio and GSM network and can be used with various Audio headsets. APPI-DEC connects to a vehicle's ICS as a standard headset to create an ICS Wireless extension around the vehicle.

APPI-LINE





In radio sensitive environments (nuclear, ammunition, etc.) or with significant EM perturbations, when man cannot use radio emissions, APPI-Line allows workers to keep in touch.

Simplicity: APPI-Line can be deployed within minutes, and embeds the APPI-Com's strengths: compact, waterproof, shockproof. It allows you to connect a wide range of audio devices for full-duplex communication.

BLUETOOTH


Create a gateway to the GSM network with your smartphone to integrate a remote team member.


PTT-DUAL

Create a gateway to any Walkie-Talkie network.
Communicate on two networks simultaneously.

MAN DOWN ALERT

APPI radios are equipped with safety systems; Immobility vocal alert (LWP) or signal loss (Safeline).







APPI-SMART

Control your APPI-radios from your smartphone/tablet.





OUR SELECTION OF HEADSETS AND ACCESSORIES



BONE CONDUCTION INTRA-EAR



REMOTE SPEAKER MICROPHONE



BLUETOOTH BONE CONDUCTION HEADSET





www.appi-technology.com

SPECIFICATIONS

RADIO APPI-Com LR

Range >2.3mi (4km)

Free bands: 863-870MHz CE / 902-928MHz FHSS

Frequency hoping (scrambled) mode

Up to 50 channels (depends on Country)

Number of users per group: Unlimited

Emission power: less than 500mW

Certifications: CE / FCC / IC / ATEX

SyncAll: no fixed nor mobile base

FEATURES

DSP Based Noise canceler

Pager & Man Down vocal alert

Bluetooth connection to Headsets / Phone / PMR ...

POWER AND BATTERY

Talk time: Up to 9h

Listen time: Up to 10h

Charging on any USB plug

External battery extension

GENERAL CHARACTERISTICS

Size: 3.6x1.9x0.6 in / 91x48x15 mm

Weight: 3 Oz / 80 g

Shockproof: IK8

Watertight: IP67

APPI & APPI-Com are Registered trademarks

APPI-Technology Inc. +1 865-722-5729

APPI-Technology SAS - FRANCE +33 9 83 98 68 73

info@appi-technology.com

