

HANDS-FREE COMMS





APPI radios offer hands-free conference mode over 3.8 km without fixed or mobile base (Int'l patent).

With the SyncAll® technology, any APPI radio can leave the team (lost signal, etc.) without affecting communication between the others, and then automatically return to the team's COMM: a guarantee for Safety and Effiency. APPI-Com and APPI-Max radios are mixable in a group and allow an unlimited number of people in the team.









ATEX







Bluetooth

GSM Compatible

APPI-Smart Compatible

Walkie-Talkie Compatible



SCRA





Man down Alert

SCBA Compatible

Water & dust Resistant

ICS Compatible

APPI-Com is a long range, wireless and ultralight intercom system: despite obstacles, it ensures a clear communication within the working team in noisy or hostile environments.





Bluetooth









GSM Compatible

APPI-Smart Compatible

Walkie-Talkie Compatible



Man down Wat







Water & dust Resistant

ICS Compatible

PTT/ Duplex

APPI-Max/DEC is a Multi-Com Gateway and Full-Duplex radio for Mounted and Dismounted Ops. The APPI-MaX features a connection to a 2-Ways Radio and GSM network and can be used with various Audio headsets. APPI-DEC connects to a vehicle's ICS as a standard headset to create an ICS Wireless extension around the vehicle.



BLUETOOTH


Create a gateway to the GSM network with your smartphone to integrate a remote team member.


PTT-DUAL

Create a gateway to any Walkie-Talkie network.
Communicate on two networks simultaneously.

MAN DOWN ALERT

APPI radios are equipped with safety systems; Immobility vocal alert (LWP) or signal loss (Safeline).








APPI-DEC:

Vehicle intercom Wireless extension, no installation required.



APPI-SMART

Control your APPI-radios from your smartphone/tablet.



OUR SELECTION OF HEADSETS AND ACCESSORIES



BONE CONDUCTION INTRA-EAR



CASQUE AUDIO PAR CONDUCTION OSSEUSE



BONE CONDUCTION
BLUETOOTH HEADSET



SPECIFICATIONS

RADIO APPI-Com LR

Range >2.3mi (4km)

Free bands: 863-870MHz CE / 902-928MHz FHSS

Frequency hoping (scrambled) mode

Up to 50 channels (depends on Country)

Number of users per group: Unlimited

Emission power: less than 500mW

Certifications: CE / FCC / IC / ATEX

SyncAll: no fixed nor mobile base

FEATURES

DSP Based Noise canceler

Pager & Man Down vocal alert

Bluetooth connection to Headsets / Phone / PMR ...

POWER AND BATTERY

Talk time: Up to 9h

Listen time: Up to 10h

Charging on any USB plug

External battery extension

GENERAL CHARACTERISTICS

Size: 3.6x1.9x0.6 in / 91x48x15 mm

Weight: 3 Oz / 80 g

Shockproof: IK8

Watertight: IP67

APPI & APPI-Com are Registered trademarks

APPI-Technology Inc. +1 865-722-5729

APPI-Technology SAS - FRANCE +33 9 83 98 68 73

info@appi-technology.com

